

References

1. Kondo T, Ohshima T. The dynamics of inflammatory cytokines in the healing process of mouse skin wound: a preliminary study for possible wound age determination. *Int J Legal Med* 1996; 108: 231-236.
2. Moulin V. Growth factors in skin wound healing. *Eur J Cell Biol* 1995; 68: 1-7.
3. Watson RE, Griffiths CE. Pathologic aspects of cutaneous photoaging. *J Cosmet Dermatol* 2005;4:230-6.
4. DeLany JP, Floyd ZE, Zvonic S, Smith A, Gravois A, Reiners E, Wu X, Kilroy G, Lefevre M, Gimble. Proteomic analysis of primary cultures of human adipose-derived stem cells: modulation by adipogenesis. *Mol Cell Proteomics* 2005;4:731-40.
5. Kratchmarova I, Kalume DE, Blagoev B, Scherer PE, Podtelejnikov AV, Molina H, et al. A proteomic approach for identification of secreted proteins during the differentiation of 3T3-L1 preadipocytes to adipocytes. *Mol Cell Proteomics* 2002;1:213-22.
6. Rehman J, Traktuev D, Li J, Merfeld-Clauss S, Temm-Grove CJ, Bovenkerk JE, et al. Secretion of angiogenic and antiapoptotic factors by human adipose stromal cells. *Circulation* 2004;109:1292-8.
7. Park BS, Kyoung AJ, Sung JH, Park JS, Kwon YH, Kim KJ, Kim WS. Adipose-Derived Stem Cells and Their Secretory Factors as a Promising Therapy for Skin Aging. *Dermatol Surg* 2008;34:1323-1326.
8. Kim WS, Park BS, Sung JH, Yang JM, Park SB, Kwak SJ, Park JS. Wound healing effect of adipose-derived stem cells: A critical role of secretory factors on human dermal fibroblasts. *J Dermatol Sci* 2007; 48, 15-24
9. Kim WS, Park BS, Sung JH. Protective role of adipose-derived stem cells and their soluble factors in photoaging. *Arch Dermatol Res* 2009;301:329-336.
10. Lee EY, Xia Y, Kim WS, Kim MH, Kim TH, Kim KJ, Park BS, Sung JH. Hypoxia-enhanced wound-healing function of adipose-derived stem cells: Increase in stem cell proliferation and up-regulation of VEGF and bFGF. *Wound Rep Reg* 2009;17: 540-547.
11. Flower L, Ahuja RH, Humphries SE, Mohamed-Ali V. Effects of sample handling on the stability of interleukin-6, tumour necrosis factor-alpha and leptin. *Cytokine*. 2000 Nov;12:1712-1716.
12. Aziz N, Nishanian P, Mitsuyasu R, Detels R, Fahey JH. Variables That Affect Assays for Plasma Cytokines and Soluble Activation Markers. *Clin Diagn Lab Immunol* 1999 Jan;6(1):89-95.
13. Porter AE, Auth J, Prince M, Ghidini A, Brenneman DE, Spong CY. Optimization of cytokine stability in stored amniotic fluid. *Am J Obstet Gynecol*. 2001 Aug;185(2):459-62.
14. Zuk PA, Zhu M, Mizuno H, Huang J, Futrell W, Katz AJ, Benhaim P, Lorenz P, Hedrick MH. Multilineage Cells from Human Adipose Tissue: Implications for Cell-Based Therapies. *Tissue Engineering* 2001; 7(2):211-228.

15. Pirog KA, Stabinsky Y, Goldman R. *Cytokine Index Second Edition*. Rocky Hill, NJ. Prepotech Inc 2006.
16. Basilico C, Moscatelli D. The FGF family of growth factors and oncogenes. *Adv Cancer Res* 1992; 59: 115–165.
17. Akasaka Y, Ono I, Yamashita T et al. Basic fibroblast growth factor promotes apoptosis and suppresses granulation tissue formation in acute incisional wounds. *J Pathol* 2004; 203: 710–20.
18. Xie J, Bian H, Qi S, Xu Y, Tang J, Li T, Liu X. Effects of basic fibroblast growth factor on the expression of extracellular matrix and matrix metalloproteinase-1 in wound healing. *Clinical and Experimental Dermatology* 2008; 33: 176–182.
19. Akita S, Akino K, Imaizumi T, Hirano A. Basic fibroblast growth factor accelerates and improves second-degree burn wound healing. *Wound Rep Reg* 2008; 16: 635-648.
20. Park SB, Yu KR, Jungb JW, Lee SR, Roh KH, Seo MS, Park JR, Kang SK, Lee YS, Kang KS. bFGF enhances the IGFs-mediated pluripotent and differentiation potentials in multipotent stem cells. *Growth Factors* 2009; 27(6): 425-437.
21. Carmeliet P, Jain RK. Angiogenesis in cancer and other diseases. *Nature* 2000; 407: 249-257.
22. Rusnati M, Presta M. Fibroblast Growth Factors/Fibroblast Growth Factor Receptors as Targets for the Development of Anti-Angiogenesis Strategies. *Current Pharmaceutical Design* 2007; 13: 2025-2044.
23. Yancopoulos GD, Davis S, Gale NW, Rudge JS, Wiegman SJ, Holash J. Vascular-specific growth factors and blood vessel formation. *Nature* 2000; 407: 242–248.
24. Neufeld G, Cohen T, Gengrinovitch S, Poltorak Z. Vascular endothelial growth factor (VEGF) and its Receptors. *J Fed Amer Soc Exp Bio* 1999; 13: 9-22.
25. Jacobi J, Tam BYY, Sundram U, Degenfeld GV, Blau HM, Kuo CJ, and Cooke JP. Discordant effects of a soluble VEGF receptor on wound healing and angiogenesis. *Gene Therapy* 2004; 11: 302-309.

